

DAFTAR PUSTAKA

1. Khan MI, Khan A, Zafar S, Aslam S, Khan AU, Shal B, et al. Anti-nociceptive effects of magnolol via inhibition of TRPV1/P2Y and TLR4/NF- κ B signaling in a postoperative pain model.
2. Lazopoulos A, Barbetakis N, Lazaridis G, Baka S, Mpoukovinas I, Karavasilis V, et al. Open thoracotomy for pneumothorax. *J Thorac Dis* [Internet]. 2015;7(Suppl 1):S50-5. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/25774309> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4332106>
3. Badawy FA, El-rahman AEHA, Mohamed SA. Post-Thoracotomy Pain : Review Article. *Egypt J Hosp Med*. 2021;85(2):3519–23.
4. Singariya G, Kamal M, Paliwal B. Pain after thoracotomy: Conquered or to be conquered? *Indian J Anaesth*. 2023;49(4):257–62.
5. Haddadi K, Haddadi K, Abediankenari S, Alipour A, Ganjeh Ghazvini HR, Jafarpour H, et al. Association between Serum Levels of Interleukin-6 on Pain and Disability. *Asian J Neurosurg*. 2020;15:494–8.
6. Li WW, Yang Y, Guo TZ, Sahbaie P, Shi X you, Guang Q, et al. IL-6 signaling mediates the germinal center response, IgM production and nociceptive sensitization in male mice after tibia fracture. *Brain Behav Immun*. 2021;94(January):148–58.
7. Sreedhar N, Hemlata ., Mehrotra MK, Singh PR, Siddiqui AK, Kohli M. Efficacy of Bilateral Erector Spinae Plane Block using Bupivacaine and Ropivacaine for Postoperative Analgesia following Lumbar Spine Surgeries- A Randomised Clinical Study. *J Clin Diagnostic Res*. 2021;15(9):19–23.
8. Kotmire VS, Sonavane SR, Chaure SB, Tarapatla SM. Bupivacaine versus ropivacaine for postoperative analgesia in femorosciatic blocks in lower limb surgeries- A randomised clinical trial. *Trop J Pharm Res*. 2021;15(22):UC10–3.
9. Carr AC, McCall C. The role of vitamin C in the treatment of pain: New insights. *J Transl Med*. 2017;15(1):1–14.
10. Rivasi G, Menale S, Turrin G, Coscarelli A, Giordano A, Ungar A. The Effects of Pain and Analgesic Medications on Blood Pressure. *Curr Hypertens Rep* [Internet]. 2022;24(10):385–94. Tersedia pada: <https://doi.org/10.1007/s11906-022-01205-5>
11. Higinio-Rodríguez F, Rivera-Villaseñor A, Calero-Vargas I, López-Hidalgo M. From nociception to pain perception, possible implications of astrocytes. *Front Cell Neurosci*. 2022;16(September):1–9.
12. Khatib S, Razvi SSN, Shaikh MM, Khan MM. Acute Post-Operative Pain Management. *Intech Open, Slov Univ Ljubljana*. 2022;
13. Baron R, Binder A, Wasner G. Neuropathic pain: Diagnosis, pathophysiological mechanisms, and treatment. *Lancet Neurol* [Internet]. 2010;9(8):807–19. Tersedia pada: [http://dx.doi.org/10.1016/S1474-4422\(10\)70143-5](http://dx.doi.org/10.1016/S1474-4422(10)70143-5)
14. Bonezzi C, Fornasari D, Cricelli C, Magni A, Ventriglia G. Not all pain is created equal: basic

- definitions and diagnostic work-up. *Pain Ther* [Internet]. 2020;9(s1):1–15. Tersedia pada: <https://doi.org/10.1007/s40122-020-00217-w>
15. Doody O, Bailey ME. Understanding pain physiology and its application to person with intellectual disability. *J Intellect Disabil*. 2019;23(1):5–18.
 16. Raney EB, Thankam FG, Dilisio MF, Agrawal DK. Pain and pathogenesis of bicep tendinopathy 2017. *Am J Transl Res*. 2017;9(6):2668–83.
 17. Chang B, Tucker WD, Burns B. Thoracotomy. *StatPearls* [Internet] Treasure Isl StatPearls Publ. 2023;
 18. Mesbah A, Yeung J, Gao F. Pain after thoracotomy. *BJA Educ* [Internet]. 2016;16(1):1–7. Tersedia pada: <http://dx.doi.org/10.1093/bjaceaccp/mkv005>
 19. Clairoux A, Issa R, Bélanger M-È, Urbanowicz R, Richebé P, Brulotte V. Perioperative pain management for thoracic surgery: a narrative review of the literature. *Curr Challenges Thorac Surg*. 2023;5(9):36–36.
 20. Macciò A, Madeddu C. Inflammation and ovarian cancer. *Cytokine*. 2012;58(2):133–47.
 21. Kummer KK, Zeidler M, Kalpachidou T, Kress M. Role of IL-6 in the regulation of neuronal development, survival and function. *Cytokine* [Internet]. 2021;144(4):82–9. Tersedia pada: <https://doi.org/10.1016/j.cyto.2021.155582>
 22. Sebba A. Pain: A review of interleukin-6 and its roles in the pain of rheumatoid arthritis. *Open Access Rheumatol Res Rev*. 2021;13:31–43.
 23. Zhou YQ, Liu Z, Liu ZH, Chen SP, Li M, Shahveranov A, et al. Interleukin-6: an emerging regulator of pathological pain. *J Neuroinflammation* [Internet]. 2016;13(1):1–9. Tersedia pada: <http://dx.doi.org/10.1186/s12974-016-0607-6>
 24. Cook AD, Christensen AD, Tewari D, McMahon SB, Hamilton JA. Immune cytokines and their receptors in inflammatory pain. *Trends Immunol* [Internet]. 2018;39(3):240–55. Tersedia pada: <http://dx.doi.org/10.1016/j.it.2017.12.003>
 25. Yam MF, Loh YC, Tan CS, Adam SK, Manan NA, Basir R. General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *Int J Mol Sci*. 2018;19(8):1–10.
 26. Esme H, Kesli R, Apiliogullari B, Duran FM, Yoldas B. Effects of flurbiprofen on CRP, TNF- α , IL-6, and postoperative pain of thoracotomy. *Int J Med Sci*. 2011;8(3):216–21.
 27. Zhai B, Zhang Y, Chen Z, Yang F, Dong X, Chen Z, et al. Effect of video-assisted thoracoscopic surgery on pain stress indicators NO, IL-1 β and IL-6 in the treatment of mediastinal tumor in children. *Oncol Lett*. 2020;19(6):3931–6.
 28. Fiorelli A, Morgillo F, Milione R, Pace MC, Passavanti MB, Laperuta P, et al. Control of post-thoracotomy pain by transcutaneous electrical nerve stimulation: Effect on serum cytokine levels, visual analogue scale, pulmonary function and medication. *Eur J Cardio-thoracic Surg*. 2012;41(4):861–8.
 29. Fu MY, Hao J, Ye LH, Jiang W, Lv YW, Shen JL, et al. Efficacy and Safety of Erector Spinae Plane

- Block for Perioperative Pain Management in Lumbar Spinal Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *J Pain Res.* 2023;16(April):1453–75.
30. Dubilet M, Gruenbaum BF, Semyonov M, Ishay SY, Osyntsov A, Friger M, et al. Erector Spinae Plane (ESP) Block for Postoperative Pain Management after Open Oncologic Abdominal Surgery. *Pain Res Manag.* 2023;2023.
 31. De Cassai A, Geraldini F, Costa F, Tulgar S. Local anesthetics and erector spinae plane blocks: a spotlight on pharmacokinetic considerations and toxicity risks. *Expert Opin Drug Metab Toxicol* [Internet]. 2022;18(9):537–9. Tersedia pada: <https://doi.org/10.1080/17425255.2022.2122811>
 32. Tulgar S, Ahiskalioglu A, De Cassai A, Gurkan Y. Efficacy of bilateral erector spinae plane block in the management of pain: Current insights. *J Pain Res.* 2019;12:2597–613.
 33. Chin KJ, El-Boghdadly K. Mechanisms of action of the erector spinae plane (ESP) block: a narrative review. *Can J Anesth* [Internet]. 2021;68(3):387–408. Tersedia pada: <https://doi.org/10.1007/s12630-020-01875-2>
 34. Patel Y, Ramachandran K, Shetty AP, Chelliah S, Subramanian B, Kanna RM, et al. Comparison Between Relative Efficacy of Erector Spinae Plane Block and Caudal Epidural Block for Postoperative Analgesia in Lumbar Fusion Surgery- A Prospective Randomized Controlled Study. *Glob Spine J.* 2023;
 35. Chung H, Chang H, Hong D, Yun H, Chung H. Optimal Ropivacaine Concentration for Ultrasound-Guided Erector Spinae Plane Block in Patients who underwent Video-Assisted Thoracoscopic Lobectomy Surgery. *Niger J Clin Pract.* 2023;22:1070–7.
 36. Kuthiala G, Chaudhary G. Ropivacaine: A review of its pharmacology and clinical use. *Indian J Anaesth.* 2011;55(2):104–10.
 37. Shafiei FT, McAllister RK, Lopez. J. Bupivacaine. StatPearls Publ LLC. 2022;
 38. Lobo EP, Pellegrini F, Pusceddu E. Anesthesia Complications in Head and Neck Surgery [Internet]. Second Edi. *Complications in Head and Neck Surgery with CD Image Bank.* Elsevier Inc.; 2009. 3–27 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-1-4160-4220-4.50005-5>
 39. Scully C. Perioperative Care. *Scully's Medical Problems in Dentistry E-Book*; 2014. 1–16 hal.
 40. Paganelli MA, Popescu GK. Actions of bupivacaine, a widely used local anesthetic, on NMDA receptor responses. *J Neurosci.* 2015;35(2):831–42.
 41. Iskander A, Gan TJ. Novel analgesics in ambulatory surgical patients. *Curr Opin Anaesthesiol.* 2018;31(6):685–92.
 42. Snels N, Riley B, Malla U, Mitchell A, Abi-Fares C, Basson W, et al. Optimising erector spinae block local anesthetic loading dose: a comparison of ropivacaine concentrations. *J Emerg Crit Care Med.* 2020;4(September):37–37.
 43. Wolfe RC, Spillars A. Local Anesthetic Systemic Toxicity: Reviewing Updates From the American Society of Regional Anesthesia and Pain Medicine Practice Advisory. *J Perianesthesia Nurs* [Internet]. 2018;33(6):1000–5. Tersedia pada: <https://doi.org/10.1016/j.jopan.2018.09.005>

44. Maximos S, Vaillancourt-Jean É, Mouksassi S, De Cassai A, Ayoub S, Ruel M, et al. Peak plasma concentration of total and free bupivacaine after erector spinae plane and pectointercostal fascial plane blocks. *Can J Anesth*. 2022;1151–9.
45. Ozunal Z, Selvi O, Senturk O, Kapakli M, Aygun H, Deveci U, et al. Evaluation Of Plasma Bupivacaine Levels At Different Time Points After Low Thoracic Erector Spinae Plane Block: An Observational Pharmacokinetic Study. *Reg Anesth Pain Med*. 2022;47(1):2003–5.
46. Zengin M, Sazak H, Baldemir R, Ulger G, Arican D, Kaybal O, et al. Comparison of analgesic efficacy of different local anesthetic volumes for erector spinae plane block in thoracotomy patients; a prospective randomized trial. *BMC Anesthesiol* [Internet]. 2023;23(1):1–9. Tersedia pada: <https://doi.org/10.1186/s12871-023-02004-4>
47. Park YJ, Chu S, Yu E, Joo JD. Comparison of the efficacy of erector spinae plane block according to the difference in bupivacaine concentrations for analgesia after laparoscopic cholecystectomy: a retrospective study. *J Yeungnam Med Sci*. 2023;40(2):172–8.
48. George AM, Liu M. Ropivacaine. *StatPearls* [Internet] Treasure Isl StatPearls Publ. 2023;
49. Haller Y, Gantenbein AR, Willimann P, Spahn DR, Maurer K. Systemic Ropivacaine Diminishes Pain Sensitization Processes: A Randomized, Double-Blinded, Placebo-Controlled, Crossover Study in Healthy Volunteers. *Pain Ther*. 2014;3(1):45–58.
50. Guo Y, Wang J, Jiang P, Wang D, Fan W, Yang X. Effect of erector spinae plane block with different doses of dexmedetomidine as adjuvant for ropivacaine on the postoperative quality of recovery after video-assisted thoracoscopic lobectomy surgery: a randomized controlled trial. *BMC Anesthesiol*. 2023;23(1):1–7.
51. Jian C, Shen Y, Fu H, Yu L. Effects of ultrasound-guided erector spinae plane block with dexmedetomidine combined with ropivacaine of the same dose and different concentrations on analgesic effect and rehabilitation quality of patients undergoing thoracoscopic wedge resection of the. *BMC Anesthesiol* [Internet]. 2022;22(1):1–7. Tersedia pada: <https://doi.org/10.1186/s12871-022-01768-5>
52. Poonkuzhali G, Elakkiya E, Nalina M. A Study on the Efficacy of Erector Spinae Plane Block With Ropivacaine As Post-Op Analgesia for Modified Radical Mastectomy Surgery. *Int J Acad Med Pharm* [Internet]. 2023;5(3):1488–92. Tersedia pada: https://www.academicmed.org/Uploads/Volume5Issue3/303_824_JAMP_Mohmaed_Ali_QR_1488-1492.pdf%0Ahttp://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emexb&NEWS=N&AN=2027557567
53. Dresner M, Freeman J, Calow C, Quinn A, Bamber J. Ropivacaine 0.2% versus bupivacaine 0.1% with fentanyl: A double blind comparison for analgesia during labour. *Br J Anaesth*. 2000;85(6):826–9.
54. Sharma N, Banerjee A, Jain J, Goyal PK. Comparison of ropivacaine and bupivacaine in ultrasound-guided transversus abdominis plane block for postoperative analgesia in patients undergoing

elective lower abdominal surgeries - A randomized double-blind trial. Indian J Clin Anaesth. 2021;8(2):191–8.