

## DAFTAR PUSTAKA

- Allender, J. A., Rector, C., & Warner, K. D. (2014). *Community & public health nursing: Promoting the public's health* (8th ed.). Philadelphia: Wolters Kluwer Health.
- American Psychological Association. (2012). *Aging and depression*. Retrieved from <https://www.apa.org/topics/aging-depression>
- Anxiety and Depression Association of America. (2016). *Depression*. Silver Spring: Anxiety and Depression Association of America. Retrieved from [https://adaa.org/sites/default/files/Depression-ADAA\\_Brochure-2016.pdf](https://adaa.org/sites/default/files/Depression-ADAA_Brochure-2016.pdf)
- Aroogh, M. D., & Shahboulaghi, F. M. (2020). Social participation of older adults: A concept analysis. *International Journal of Community Based Nursing and Midwifery*, 8(1), 55–72. doi: 10.30476/IJCBNM.2019.82222.1055
- Ashe, S., & Routray, D. (2019). Prevalence, associated risk factors of depression and mental health needs among geriatric population of an urban slum, Cuttack, Odisha. *International Journal of Geriatric Psychiatry*, 34(12), 1799–1807. doi: 10.1002/gps.5195
- Assariparambil, A. R., Noronha, J. A., Kamath, A., Adhikari, P., Nayak, B. S., Shankar, R., & George, A. (2020). Depression among older adults: A systematic review of South Asian countries. *Psychogeriatrics*, 21(2), 201-219. doi: 10.1111/psyg.12644
- Azizan, A., & Justine, M. (2016). Effects of a behavioral and exercise program on depression and quality of life in community-dwelling older adults. *Journal of Gerontological Nursing*, 42(2), 45–54. doi: 10.3928/00989134-20151124-01
- Bartha, C., Parker, C., Thomson, C., & Kitchen, K. (2013). *Depression: An information guide*. Toronto: Centre for Addiction and Mental Health. Retrieved from <https://www.camh.ca/-/media/files/guides-and->

publications/depression-guide-en.pdf

- Boing, A. F., Melo, G. R., Boing, A. C., Moretti-Pires, R. O., Peres, K. G., & Peres, M. A. (2012). Association between depression and chronic diseases: Results from a population-based study. *Revista de Saude Publica*, *46*(4), 617–623. doi: 10.1590/s0034-89102012005000044
- Bruce, M. L., Smith, W., Miranda, J., Hoagwood, K., & Wells, K. B. (2002). Community-based interventions. *Mental Health Services Research*, *4*(4), 205–214. doi: 10.1023/a:1020912531637
- Butcher, H. K., Bulechek, G. M., Dochterman, J. M., & Wagner, C.M. (2018). *Nursing interventions classification* (7th ed.). Singapore: Elsevier.
- Carandang, R. R., Shibanuma, A., Kiriya, J., Vardeleon, K. R., Asis, E., Murayama, H., & Jimba, M. (2020). Effectiveness of peer counseling, social engagement, and combination interventions in improving depressive symptoms of community-dwelling Filipino senior citizens. *PLoS ONE*, *15*(4), 1–16. doi: 10.1371/journal.pone.0230770
- Centers for Disease Control and Prevention. (2020). *About physical activity: why it matters*. Retrieved from <https://www.cdc.gov/physicalactivity/about-physical-activity/why-it-matters.html>
- Chen, Y., Hicks, A., & While, A. E. (2012). Depression and related factors in older people in China: A systematic review. *Reviews in Clinical Gerontology*, *22*(1), 52–67. doi: 10.1017/S0959259811000219
- Chiao, C., Weng, L. J., & Botticello, A. L. (2011). Social participation reduces depressive symptoms among older adults: An 18-year longitudinal analysis in Taiwan. *BMC Public Health*, *11*(292), 1–9. doi: 10.1186/1471-2458-11-292
- Cho, S. M., Saw, Y. M., Saw, T. N., Than, T. M., Khaing, M., Khine, A. T., ... Hamajima, N. (2021). Prevalence and risk factors of anxiety and depression among the community-dwelling elderly in Nay Pyi Taw Union Territory, Myanmar. *Scientific Reports*, *11*(1), 1–9. doi: 10.1038/s41598-021-88621-w

- Christensen, H., Pallister, E., Smale, S., Hickie, I. B., & Catefor, A. L. (2010). Community-based prevention programs for anxiety and depression in youth: A systematic review. *Journal of Primary Prevention, 31*(3), 139–170. doi: 10.1007/s10935-010-0214-8
- Dao, A. T. M., Nguyen, V. T., Nguyen, H. V., & Nguyen, L. T. K. (2018). Factors associated with depression among the elderly living in urban Vietnam. *BioMed Research International, 2018*, 1–9. doi: 10.1155/2018/2370284
- Dias, A., Azariah, F., Anderson, S. J., Sequeira, M., Cohen, A., Morse, J. Q., ... Reynolds, C. F. (2019). Effect of a lay counselor intervention on prevention of major depression in older adults living in low-and middle-income countries: A randomized clinical trial. *JAMA Psychiatry, 76*(1), 13–20. doi: 10.1001/jamapsychiatry.2018.3048
- Disu, T. R., Anne, N. J., Griffiths, M. D., & Mamun, M. A. (2019). Risk factors of geriatric depression among elderly Bangladeshi people: A pilot interview study. *Asian Journal of Psychiatry, 44*, 163–169. doi: 10.1016/j.ajp.2019.07.050
- Eliopoulos, C. (2018). *Gerontological nursing* (9th ed.). Philadelphia: Wolters Kluwer.
- Guttmacher, S., Kelly, P. J., & Ruiz-Janecko, Y. (2010). *Community-based health interventions: principles and applications*. San Fransisco: Jossey- Bass.
- Güzel, A., & Kara, F. (2020). Determining the prevalence of depression among older adults living in Burdur, Turkey, and their associated factors. *Psychogeriatrics, 20*(4), 370–376. doi: 10.1111/psyg.12515
- Harlan, J., & Johan, R. S. (2018). *Metode penelitian kesehatan*. Jakarta: Penerbit Gunadarma.
- Helmich, I., Latini, A., Sigwalt, A., Carta, M. G., Machado, S., Velasques, B., ... Budde, H. (2010). Neurobiological alterations induced by exercise and their impact on depressive disorders. *Clinical Practice and Epidemiology in Mental*

*Health*, 6, 115–125. doi: 10.2174/1745017901006010115

Ibrahim, N., Din, N. C., Ahmad, M., Ghazali, S. E., Said, Z., Shahar, S., ... Razali, R. (2013). Relationships between social support and depression, and quality of life of the elderly in a rural community in Malaysia. *Asia-Pacific Psychiatry*, 5, 59–66. doi: 10.1111/appy.12068

Ilmi, A. A. (2017). Intervensi ILMI-SpaRe dalam menurunkan status depresi pada kelompok lansia. *Jurnal Kesehatan*, 10(2), 1–9. doi: 10.24252/kesehatan.v1i2.4378

Kang-Yi, C. D., & Gellis, Z. D. (2010). A systematic review of community-based health interventions on depression for older adults with heart disease. *Aging and Mental Health*, 14(1), 1–19. doi: 10.1080/13607860903421003

Kholifah, S. N. (2016). *Keperawatan gerontik*. Jakarta: Kementerian Kesehatan Republik Indonesia. Retrieved from <http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2017/08/Keperawatan-Gerontik-Komprehensif.pdf>

Kim, B. J., Liu, L., Cheung, C., & Ahn, J. (2018). Effects of cognitive impairment and functional limitation on depressive symptoms among community-dwelling older Korean immigrants in the U.S. *PLoS ONE*, 13(3), 1–9. doi: 10.1371/journal.pone.0193092

Kim, D. J. (2017). The effects of a combined physical activity, recreation, and art and craft program on ADL, cognition, and depression in the elderly. *Journal of Physical Therapy Science*, 29(4), 744–747. doi: 10.1589/jpts.29.744

Kim, H., & Jung, N. (2018). The effect of exercise combined with a cognitive-enhancement group training program on cognition and depression in the community-dwelling elderly. *Journal of Physical Therapy Science*, 30(2), 335–338. doi: 10.1589/jpts.30.335

Lambrini, K., Christos, I., & Monios, A. (2015). Psychosocial issues in elderly. *Progress in Health Sciences*, 5(1), 232–237.

- Lee, K. L., Wu, C. H., Chang, C. I., Weng, L. J., Wu, Y. C., & Chen, C. Y. (2015). Active engagement in social groups as a predictor for mental and physical health among Taiwanese older adults: A 4-year longitudinal study. *International Journal of Gerontology*, *9*, 1–6. doi: 10.1016/j.ijge.2014.01.005
- Li, J., Theng, Y.-L., & Foo, S. (2015). Depression and psychosocial risk factors among community-dwelling older adults in Singapore. *Journal of Cross-Cultural Gerontology*, *30*, 409–422. doi: 10.1007/s10823-015-9272-y
- Li, N., & Shou, J. (2020). The prevalence and correlates of depression in elderly outpatients in community health centers. *Journal of Affective Disorders Reports*, *3*, 1–18. doi: 10.1016/j.jadr.2020.100044
- Li, Y. T., & Tung, T. H. (2020). Effects of protective factors on the depressive status of elderly people in Taiwan. *Medicine*, *99*(1), 1–11. doi: 10.1097/MD.00000000000018461
- Lina, R. K., Agustina, D., Sariana, E., & Ritonga, A. (2020). Is physical activity, functional ability, and depression related to the elderly quality of life in East Jakarta? *Asian Journal of Applied Sciences*, *8*(5), 283–291. doi: 10.24203/ajas.v8i5.6372
- Lucassen, P. J., Meerlo, P., Naylor, A. S., van Dam, A. M., Dayer, A. G., Fuchs, E., ... Czéh, B. (2010). Regulation of adult neurogenesis by stress, sleep disruption, exercise and inflammation: Implications for depression and antidepressant action. *European Neuropsychopharmacology*, *20*, 1–17. doi: 10.1016/j.euroneuro.2009.08.003
- Maier, A., Riedel-Heller, S. G., Pabst, A., & Lippa, M. (2021). Risk factors and protective factors of depression in older people 65+. A systematic review. *PLoS ONE*, *16*(5), 1–38. doi: 10.1371/journal.pone.0251326
- Maleki, F. M., Massahikhaleghi, P., Tehrani-Banihashemi, A., Davoudi, F., & Nojomi, M. (2020). Community-based preventive interventions for depression and anxiety in women. *Archives of Iranian Medicine*, *23*(3), 197–206.

- Marlatt, M. W., Lucassen, P. J., & van Praag, H. (2010). Comparison of neurogenic effects of fluoxetine, duloxetine and running in mice. *Brain Research, 1341*, 93–99. doi: 10.1016/j.brainres.2010.03.086
- McLeroy, K. R., Norton, B. L., Kegler, M. C., Burdine, J. N., & Sumaya, C. V. (2003). Community-based interventions. *American Journal of Public Health, 93*(4), 529–533. doi: 10.1017/CBO9780511543579.075
- Mengistu, D., & Misganaw, E. (2006). *Community health nursing*. Gondar: University of Gondar. Retrieved from [https://www.cartercenter.org/resources/pdfs/health/ephti/library/lecture\\_notes/nursing\\_students/comm\\_hlth\\_nsg\\_final.pdf](https://www.cartercenter.org/resources/pdfs/health/ephti/library/lecture_notes/nursing_students/comm_hlth_nsg_final.pdf)
- Min, J., Ailshire, J., & Eileen, C. (2016). Social engagement and depressive symptoms: Do baseline depression status and type of social activities make a difference? *Age and Ageing, 45*(6), 838–843. doi: 10.1093/ageing/afw125
- Mokhtari, M., Nezakatalhossaini, M., & Esfarjani, F. (2013). The effect of 12-week pilates exercises on depression and balance associated with falling in the elderly. *Procedia - Social and Behavioral Sciences, 70*, 1714–1723. doi: 10.1016/j.sbspro.2013.01.246
- Mura, G., & Carta, M. G. (2013). Physical activity in depressed elderly: A systematic review. *Clinical Practice & Epidemiology in Mental Health, 9*(1), 125–135. doi: 10.2174/1745017901309010125
- National Health Service. (2019). *Symptoms clinical depression*. Retrieved from <https://www.nhs.uk/conditions/clinical-depression/symptoms/>
- National Institute of Mental Health. (2016). *Depression basics*. Bethesda: National Institute of Mental Health. Retrieved from [https://www.nimh.nih.gov/health/publications/depression/19-mh-8079-depressionbasics\\_140843.pdf](https://www.nimh.nih.gov/health/publications/depression/19-mh-8079-depressionbasics_140843.pdf)
- National Institute on Aging. (2017). *Depression and older adults*. Retrieved from <https://www.nia.nih.gov/health/depression-and-older-adults>

- National Research Council, & Institute of Medicine. (2009). The etiology of depression. In *Depression in parents, parenting, and children: Opportunities to improve identification, treatment, and prevention* (pp. 73–118). Washington, DC: The National Academies Press. Retrieved from [https://www.ncbi.nlm.nih.gov/books/NBK215117/pdf/Bookshelf\\_NBK215117.pdf](https://www.ncbi.nlm.nih.gov/books/NBK215117/pdf/Bookshelf_NBK215117.pdf)
- Nguyen, D., & Vu, C. M. (2013). Current depression interventions for older adults: A review of service delivery approaches in primary care, home-based, and community-based settings. *Current Translational Geriatrics and Experimental Gerontology Reports*, 2(1), 37–44. doi: 10.1007/s13670-012-0035-0
- Oh, I. M., Cho, M. J., Hahm, B. J., Kim, B. S., Sohn, J. H., Suk, H. W., ... Park, J. E. (2020). Effectiveness of a village-based intervention for depression in community-dwelling older adults: A randomised feasibility study. *BMC Geriatrics*, 20(1), 1–10. doi: 10.1186/s12877-020-1495-2
- Overdorf, V., Kollia, B., Makarec, K., & Szeles, C. A. (2016). The relationship between physical activity and depressive symptoms in healthy older women. *Gerontology and Geriatric Medicine*, 2, 1–8. doi: 10.1177/2333721415626859
- Persatuan Perawat Nasional Indonesia. (2018). *Standar intervensi keperawatan Indonesia: Definisi dan tindakan keperawatan* (1st ed.). Jakarta: Dewan Pengurus Pusat Persatuan Perawat Nasional Indonesia.
- Petridou, E. T., Antonopoulos, C. N., & Alexe, D. M. (2008). Injuries, epidemiology of. In *International encyclopedia of public health* (pp. 608–624). Boston: Elsevier.
- Piškur, B., Daniëls, R., Jongmans, M. J., Ketelaar, M., Smeets, R. J. E. M., Norton, M., & Beurskens, A. J. H. M. (2014). Participation and social participation: Are they distinct concepts? *Clinical Rehabilitation*, 28(3), 211–220. doi:

10.1177/0269215513499029

- Pragholapati, A., Oktapiani, R. S., & Widiarti, E. (2019). Pengaruh brain gym terhadap tingkat depresi pada lansia di Balai Perlindungan Sosial Tresna Werdha Ciparay Bandung. *Jurnal Skolastik Keperawatan*, 5(2), 128–146.
- Pramesona, B. A., & Taneepanichskul, S. (2018a). Prevalence and risk factors of depression among Indonesian elderly: A nursing home-based cross-sectional study. *Neurology Psychiatry and Brain Research*, 30, 22–27. doi: 10.1016/j.npbr.2018.04.004
- Pramesona, B. A., & Taneepanichskul, S. (2018b). The effect of religious intervention on depressive symptoms and quality of life among Indonesian elderly in nursing homes: A quasi-experimental study. *Clinical Interventions in Aging*, 13, 473–483. doi: 10.2147/CIA.S162946
- Robb, C. E., de Jager, C. A., Ahmadi-Abhari, S., Giannakopoulou, P., Udeh-Momoh, C., McKeand, J., ... Middleton, L. (2020). Associations of social isolation with anxiety and depression during the early COVID-19 pandemic: A Survey of older adults in London, UK. *Frontiers in Psychiatry*, 11, 1–12. doi: 10.3389/fpsy.2020.591120
- Sarkar, S., Kattimani, S., Premarajan, K. C., & Roy, G. (2017). Impact of attendance in a daycare centre on depression among elderly in rural Puducherry: A pre- & post-intervention study. *Indian Journal Of Medical Research*, 146(8), 68–76. doi: 10.4103/ijmr.IJMR\_857\_15
- Simkhada, R., Wasti, S. P., GC, V. S., & Lee, A. C. K. (2018). Prevalence of depressive symptoms and its associated factors in older adults: A cross-sectional study in Kathmandu, Nepal. *Aging and Mental Health*, 22(6), 802–807. doi: 10.1080/13607863.2017.1310803
- Sivertsen, H., Bjørkløf, G. H., Engedal, K., Selbæk, G., & Helvik, A.-S. (2015). Depression and quality of life in older persons: A review. *Dementia and Geriatric Cognitive Disorders*, 40, 311–339. doi: 10.1159/000437299



- Steinman, L. E., Frederick, J. T., Prohaska, T., Satariano, W. A., Dornberg-Lee, S., Fisher, R., ... Snowden, M. (2007). Recommendations for treating depression in community-based older adults. *American Journal of Preventive Medicine*, 33(3), 175–181. doi: 10.1016/j.amepre.2007.04.034
- Sujana, D., Wardani, N. D., & Jusup, I. (2015). Pengaruh senam lansia terhadap skor geriatric depression scale (studi pada lansia di posyandu lansia RW X Kelurahan Padangsari Kecamatan Banyumanik Kota Semarang). *Media Medika Muda*, 4(4), 600–608.
- Tariq, A., Beihai, T., Abbas, N., Ali, S., Yao, W., & Imran, M. (2020). Role of perceived social support on the association between physical disability and symptoms of depression in senior citizens of Pakistan. *International Journal of Environmental Research and Public Health*, 17(5), 1–14. doi: 10.3390/ijerph17051485
- Thorley, L., & Henrion, E. (2019). *Ethical standards rapid literature review: Final report*. Sheffield. Retrieved from [https://assets.publishing.service.gov.uk/media/5d5e3df5ed915d08d612d835/DFID\\_Ethics\\_Literature\\_Review\\_FINAL\\_30\\_05\\_19.pdf](https://assets.publishing.service.gov.uk/media/5d5e3df5ed915d08d612d835/DFID_Ethics_Literature_Review_FINAL_30_05_19.pdf)
- Touhy, T. A., & Jett, K. F. (2014). *Ebersole & Hess' gerontological nursing & healthy aging* (4th ed.). St. Louis: Elsevier Mosby. Retrieved from [http://repository.poltekkes-kaltim.ac.id/676/1/Ebersole and Hess' Gerontological Nursing %26 Healthy Aging %28 PDFDrive.com %29.pdf](http://repository.poltekkes-kaltim.ac.id/676/1/Ebersole%20and%20Hess%20Gerontological%20Nursing%20Healthy%20Aging%20PDFDrive.com%29.pdf)
- United Nations Department of Economic and Social Affairs Population Division. (2019a). *World population ageing 2019: Highlights*. New York: United Nations. Retrieved from <https://www.un.org/en/development/desa/population/publications/pdf/ageing/WorldPopulationAgeing2019-Highlights.pdf>
- United Nations Department of Economic and Social Affairs Population Division. (2019b). *World population prospects 2019: Highlights*. New York: United Nations. Retrieved from

[https://population.un.org/wpp/Publications/Files/WPP2019\\_Highlights.pdf](https://population.un.org/wpp/Publications/Files/WPP2019_Highlights.pdf)

United Nations Population Fund and HelpAge International. (2012). *Ageing in the twenty-first century: A celebration and challenge: Executive summary*. London: United Nations Population Fund and HelpAge International. Retrieved from <https://www.unfpa.org/sites/default/files/pub-pdf/UNFPA-Exec-Summary.pdf>

Vanoh, D., Shahar, S., Yahya, H. M., & Hamid, T. A. (2016). Prevalence and determinants of depressive disorders among community-dwelling older adults: Findings from the towards useful aging study. *International Journal of Gerontology*, *10*, 81–85. doi: 10.1016/j.ijge.2016.02.001

Wada, T., Ishine, M., Sakagami, T., Kita, T., Okumiya, K., Mizuno, K., ... Matsubayashi, K. (2005). Depression, activities of daily living, and quality of life of community-dwelling elderly in three Asian countries: Indonesia, Vietnam, and Japan. *Archives of Gerontology and Geriatrics*, *41*, 271–280. doi: 10.1016/j.archger.2005.03.003

World Health Organization. (2004). *Prevention of mental disorders: Effective interventions and policy options: Summary report*. Geneva: World Health Organization.

World Health Organization. (2014a). *Social participation*. Retrieved from <https://extranet.who.int/agefriendlyworld/age-friendly-practices/social-participation/>

World Health Organization. (2014b). *The health of older people in selected countries of the Western Pacific Region*. Geneva: World Health Organization. Retrieved from <https://iris.wpro.who.int/handle/10665.1/10516>

World Health Organization. (2015). *World report on ageing and health*. Geneva: World Health Organization. Retrieved from [https://apps.who.int/iris/bitstream/handle/10665/186463/9789240694811\\_eng.pdf?sequence=1](https://apps.who.int/iris/bitstream/handle/10665/186463/9789240694811_eng.pdf?sequence=1)

- World Health Organization. (2017a). *Depression and other common mental disorders*. Geneva: World Health Organization. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/254610/WHO-MSD-MER-2017.2-eng.pdf>
- World Health Organization. (2017b). *Mental health of older adults*. Retrieved from <https://www.who.int/en/news-room/fact-sheets/detail/mental-health-of-older-adults#>
- World Health Organization. (2019). *Mental disorders*. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/mental-disorders>
- World Health Organization. (2020a). *Physical activity*. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
- World Health Organization. (2020b). *WHO guidelines on physical activity and sedentary behaviour*. Geneva: World Health Organization.
- Yau, S. Y., Lau, B. W. M., Tong, J. Bin, Wong, R., Ching, Y. P., Qiu, G., ... So, K. F. (2011). Hippocampal neurogenesis and dendritic plasticity support running-improved spatial learning and depression-like behaviour in stressed rats. *PLoS ONE*, 6(9), 1–15. doi: 10.1371/journal.pone.0024263
- Zhang, Y., Liu, Z., Zhang, L., Zhu, P., Wang, X., & Huang, Y. (2019). Association of living arrangements with depressive symptoms among older adults in China: A cross-sectional study. *BMC Public Health*, 19(1), 1–10. doi: 10.1186/s12889-019-7350-8